

# **COW/CALF CORNER**

## **The Newsletter**

**From the Oklahoma Cooperative Extension Service**

**August 23, 2010**

**In this Issue:**

### **It's Blue-Green Algae Time Again**

Dave Sparks, D.V.M., Oklahoma State University Area Extension Food Animal Quality and Health Specialist

### **Red Hot Cattle Markets Add to Summer Heat**

Derrell S. Peel, Oklahoma State University Extension Livestock Marketing Specialist

## **It's Blue-Green Algae Time Again**

Dave Sparks, D.V.M., Oklahoma State University Area Extension Food Animal Quality and Health Specialist

Blue-green algae, properly called Cyanobacteria, occurs naturally in many farm ponds throughout the Midwest. As the name implies, it is not truly an algae but a bacteria that contains chlorophyll and can convert sunlight to energy for its replication. For most of the year, the concentrations are low and the organism causes no problems, but under the hot dry conditions of late summer reproduction of the organisms is very rapid resulting in high concentrations called blooms. These blooms are usually visible as a scum or paint on the surface of the water. Under normal conditions the organisms are homogeneously suspended in the water, but as they multiply rapidly, large numbers of dead organisms float to the surface. Wind action causes them to be concentrated on the downwind side of the pond so that concentrations can become extremely high in certain areas. This is not the algae that grow in mats of plant material along the shorelines. When disturbed, the blue-green algae disperse in the water and do not hang together.

Problems occur when livestock of any type, or wildlife, consume water from a bloom area. The Cyanobacteria produce several different toxins, but the two main ones affect the nervous system and the liver. Livestock affected by the nervous system toxin can present signs such as muscle tremors, difficult breathing, and convulsions. In actual cases it is common to find dead animals in or near the pond that have not had time to show any symptoms other than collapse and death. Animals affected by the liver toxin show weakness, pale membranes, bloody diarrhea and usually death. If both types of toxins are present, the nervous system toxins usually kill the animal before the signs of the liver toxin can be manifested.

The signs above can help with the diagnosis, but most of the time death is sudden and the animals are found dead before the producer can observe any signs. Dead animals in or near the water certainly suggest blue-green algae toxicity. Since these toxins are lethal to almost all animals, carcasses of small animals may be found along the shore, especially on the downwind side of the water. Water samples can be submitted for examination to the Oklahoma Animal Disease Diagnostic Laboratory at Stillwater. They suggest a sample size ranging from a pint to a quart of water containing at least some of the scum present on the surface. This should be submitted in an unbreakable container such as a plastic water bottle. It should not be frozen but if it is shipped, provisions should be taken to keep it cool and out of sunlight. The cost for this test is \$16.00. The lab can be contacted at 405-744-6623 for more information.

Treatment of blue-green algae toxicity is seldom attempted and almost never successful. The key to minimizing livestock losses is in preventative management. The following are practices that will prove helpful. Check ponds for algae blooms in hot weather. Fence off downwind drinking areas. Pump water from deep in the pond to a nearby livestock tank. Use other water sources, if available, when temperatures rise to high levels and algae blooms are observed. Copper sulfate has been used to prevent algae blooms but it is difficult to calculate dosages, difficult to distribute evenly over the pond, and results are short lived.

While Cyanobacteria present a significant toxicity potential in late summer, proper monitoring and management can minimize or eliminate the problem. The potential for problems occurs about the time many producers are winding up their hay season or preparing for planting fall crops. Don't delay checking your pastures until you get an unwanted surprise.

# Red Hot Cattle Markets Add to Summer Heat

Derrell S. Peel, Oklahoma State University Extension Livestock Marketing Specialist

Fed cattle prices blew past the \$95/cwt. mark last week and raced to the expected fall high. Fed cattle traded for a surprising \$100/cwt. and that leads to several possible questions. Can the market maintain this level for the fall? Can we expect additional increases in the fourth quarter and, if so, what might those highs be?

It seems that fed cattle and boxed beef markets have moved dramatically all year. The step down in to summer lows was quite sudden in June and raised similar questions about how quickly the market dropped and whether it could maintain those lows all summer. Although boxed beef prices did drop again for a slightly lower low in August, fed cattle prices held on to the June lows until the dramatic advance the past two weeks. These types of abrupt market moves provide some insight into the market situation for cattle and beef.

In general, tight supply fundamentals provides constant upward pressure on cattle and beef prices, while an uncertain and rather precarious beef demand situation allows that pressure to express itself in fits and starts. Additionally, the volatility that has characterized the industry the past several years has resulted in many participants, especially at the meat level, to operate hand to mouth for a high percentage of meat purchases. Thus, restaurants, for example, have been unwilling to reach out and forward contract beef purchases. The result is a situation in which beef purchasers, who desperately need more stability in their input markets, experience exactly the opposite when many of them buy on a short string. Some of the dramatic fed cattle and boxed beef rally last week was no doubt due to late beef purchasing for Labor Day.

So now what? In the first place, the recent rally is unlikely to continue. Having achieved the current boxed beef and fed cattle price levels, it is more reasonable to ask about the possibility of maintaining these gains. Post Labor Day, it would not be surprising to see boxed beef back off a little bit. However, the recent gains provide a decent chance for the market to maintain a higher (than previously expected) level for the remainder of the year. I expect fed prices to trade in the upper half of the \$90s for the rest of the year.

The fact that fed cattle prices increased relatively more than boxed beef last week suggests that much of the support was coming from the supply side. The increase in fed cattle prices not only absorbed the

simultaneous increase in boxed beef prices but also squeezed out some of the packer margin that was in place prior to the rally. Any decrease in boxed beef prices will immediately pressure fed markets but prices declines may be limited as feedlots are very current and holding most of the cards in the current weekly match up with packers.

Oklahoma State University, in compliance with Title VI and VII of the Civil Rights Act of 1964, Executive Order 11246 as amended, Title IX of the Education Amendments of 1972, Americans with Disabilities Act of 1990, and other federal laws and regulations, does not discriminate on the basis of race, color, national origin, sex, age, religion, disability, or status as a veteran in any of its policies, practices or procedures. This includes but is not limited to admissions, employment, financial aid, and educational services. References within this publication to any specific commercial product, process, or service by trade name, trademark, service mark, manufacturer, or otherwise does not constitute or imply endorsement by Oklahoma Cooperative Extension Service.